



Shade for vertical surfaces

The Aruba vertical awnings *can be fitted effortlessly* to window, balcony and conservatory fronts



As they are available in various shapes, Aruba awnings are well suited to shading balconies as well as windows and glass fronts.

Loads of fantastic variations for all types of window

Choose from the numerous design options and give your façade an interesting look with an Aruba!



The window awnings in the **Aruba** series provide the ideal protection from onlookers and glare – for attractive lighting at workplaces, dining tables or protection for your furniture. The versatile vertical awning is available for windows, balconies and conservatories. With magnificent frame colours and fabrics on offer, you can colour coordinate your façade just the way you like it.

Your weinor dealer will be happy to advise you on which Aruba is the best solution for your building.



Matching designs: wonderful fabrics

Combine the wide range of frame colours with over 140 exquisite fabric patterns from weinor's "moments" fabric collection. You could, for example, use the same colour as the house façade for the awning and its fabric.

weinor awnings with a big choice of colours

Choose from 47 standard frame colours, 8 scratch-resistant and robust trendy conservatory colours (5% surcharge) as well as another 200 special RAL colours for your awning.



weinor acrylic fabrics, with their high quality workmanship and tear-resistance, are noted for their exceptionally long lives. Special finishing processes also make them particularly UV resistant. Use of the latest nanotechnology gives weinor's fabrics exceptional dirt- and water-repellent properties



Coupled awnings

Your best option to reliably shade even large window panes is to couple several **Aruba** awnings to form multi-section units. Up to four shades can be joined to make one unit.



Aruba vertical shade – the right choice every time

As a vertical shade, the droparm version with a view or a combination of both, the Aruba is a jack of all trades



Whatever the requirements and conditions, the versatile **Aruba** series will get the job done. For reliable shade on vertical surfaces, the vertical window awning is what you need. If you would like to take a peek onto the street, the awning with droparm is the one to go for. On high windows that are designed to give you some sort of view, the Markisolette is the perfect choice.

Comfort with the remote control



You can operate the **WeiTronic Remoto** remote control to adjust shade, heating and light from your favourite chair. You can even adjust the light and heating.

Three strong characters –

individual window awnings, attractive and eye-catching



Aruba Vertical

The **Aruba Vertical** awning is especially effective at blocking out prying eyes and glare. It is available either with rail guides or wire guides. Visually unobtrusive, the wire guide version is especially suitable for fitting to windows. weiner's own slide bearing mechanism ensures that the awning opens and retracts securely and especially quietly. The flexible link prevents any titling in blustery conditions.



Aruba Vertical



Aruba Droparm

The **Aruba Droparm** awning can be opened to allow you to see the outside world. As the variable droparms can be opened as much as 150°, you decide how much sun protection is needed and how much of the view you want to enjoy. The fabric and technology are perfectly protected in the cassette by the bottom rail that is fitted flush to the casing.



Aruba Droparm



Aruba Markisolette

Ideal for high windows, the **Aruba Markisolette** combines vertical shade in its top section with the possibility of opening the bottom section. As a result, you can reliably shade large glass panes such as conservatory windows. The arms on the **Aruba Markisolette** can also be angled to up to 150° and extend automatically when the awning is opened.



Aruba Markisolette



**Elegant support brackets –
to match your style**

The support brackets for the **Aruba Solar** are available in various heights and shapes. Whether modern or classical, they blend in harmoniously with your living style.



*Aruba Solar –
elegant light protection for a pleasant climate*


The attached shade adjusts to numerous types of windows



The Aruba Solar is available with a round cassette (Aruba Solar Round) and square cassette (Aruba Solar Carré).



Elegantly shaped, the **Aruba Solar** provides the ideal protection. With its ingenious support brackets it is especially suitable for shading skylights, oriels or small glass porches. This shade is available for vertical windows, oriels and sloping skylights with a pitch of at least 30°, and can also be ordered as a curved unit for windows with a sharp bend.



Twice the protection

The remote-controlled sensors in the **WeiTronic** series give you and your conservatory awning the protection you need. You can open the awning automatically in sunshine and retract it in rain and blustery conditions.

Angled, vertical or with a bend –

the Aruba Solar is perfect for all types of window



Aruba Solar Vertical for vertical windows

The **Aruba Solar Vertical** awning is ideally suited for all vertical windows. To shade adjacent window panes, two **Aruba Solar Vertical** awnings can be joined to form one unit. This way, you can always open and close the awnings at the same time. The units can also be connected in series, of course.



Nice angle: clever solutions for skylights

The **Aruba Solar angled** unit is especially suited to skylights with a pitch of at least 30°. The maximum projection of the angled Aruba Solar window awning is 260 cm. If you are looking to shade both sloping and vertical areas, a combined angled and vertical unit is the ideal solution for your windows.

*Together with the WGM series of conservatory awnings, the **Aruba Solar** is the ideal solution to extend the amount of shade over conservatories.*



Around the bend – the curved unit



For window panes with hip, such as conservatories, the **Aruba Solar curved** unit is the right option to choose. Here, the support brackets ensure the smooth raveling and unraveling of the fabric. The join between the curved and the vertical guide section is concealed inside the profile space – the ideal conditions for a harmonious overall appearance.

Manoeuvrability – through flexible connections

Manoeuvrable bottom rails enable the sections to be opened effortlessly. At the same time, the flexible projection connection prevents any tilting occurring in blustery conditions. The bottom rail has enough play to angle itself to withstand strong side winds.

Smoothness – thanks to innovative sliding support mechanism

The guide rails on the **Aruba Vertical** and **Aruba Markisolette** are equipped with a special support mechanism – which makes for perfectly smooth, quiet running. The **Aruba Vertical** with wire guides comes with a guiding and centering mechanism that prevents any tilting.

Tension – strong springs keep the fabric in place


A well-tensioned fabric is fundamental to the impeccable appearance of any awning. Strong springs inside the drop-arms of the **Aruba Droparm** and **Aruba Markisolette** provide the perfect amount of tension in the arms. The **Aruba Vertical** with wire guides comes with a tensioning element that ensures that the cord sits tautly all the time.



Superb engineering – the Aruba series window awnings



weinor's meticulously engineered solutions ensure all the awnings are safe and make life easier. Since the components come from a single source, they all match perfectly and work without a hitch. But functionality is not everything – with the right appearance, the result is a harmonious picture.




An attractive finish – the matching valance

To give you even more design possibilities, the **Aruba Droparm** is available with a decorative valance. Choose between four different valance shapes!

Open, round or carré –

as individual as your house



Aruba Open – for sheltered areas

The **Aruba Open** is a window awning without an aluminium canopy. It is especially suited for assembly on areas sheltered from the elements – under a balcony ceiling/floor for example. The combined wall and ceiling bracket makes for easy assembly.

Available as:

- **Aruba Vertical**, rope guide
- **Aruba Droparm**



Aruba Round – modern cassette design

The **Aruba Round** stands out for its softly rounded design and is a fitting counterpart to a modern living style. The fabric and technology are safely housed inside the appealing awning casing like a pearl in its shell. The **Aruba Round** can be ordered either with wire or rail guides. Available as:

- **Aruba Vertical** – rail guide/rope guide
- **Aruba Droparm**
- **Aruba Markisolette**
- **Aruba Solar** – Vertical and with arched units




Aruba Carré – the classic cassette version


The **Aruba Carré** with awning casing also lends itself to being assembled in places exposed to the elements. Its cassette offers ideal protection for the fabric and the technology. Depending on your personal taste, you can order the **Aruba Carré** either with wire or rail guides. Available as:

- **Aruba Vertical** – rail guide/rope guide
- **Aruba Droparm**
- **Aruba Markisolette**
- **Aruba Solar** – Vertical and with arched units

Perfect and simple fitting, even in a wide range of different locations with modern two-point mounting.



Example
Droparm



Example
Droparm

Technical details	Aruba Vertical Open	Aruba Droparm Open
Max. width	550 cm	550 cm
Max. Unit height	240 cm	
Max. Arm length		120 cm
Max. Cover length		200 cm (pitch angle 90°) 270 cm (pitch angle 150°)
Max. drop angle		150°
Crank operation	yes, optional	yes, optional
Motor drive	yes, as standard	yes, as standard

Technical details	Aruba Vertical (Carré and Round) with Rail Guide/Rope Guide	Aruba Droparm (Carré and Round)	Aruba Markisolette (Carré and Round)
Max. width	400 cm (1-piece system)	400 cm (1-piece system)	400 cm (1-piece system)
	1000 cm (4-piece system)	1000 cm (4-piece system)	1000 cm (4-piece system)
Max. Unit height	260 cm		260 cm
Max. Arm length		150 cm	Standard 60 cm max. 120 cm
Max. Cover length		240 cm (pitch angle 90°, arm length 150 cm) 260 cm (pitch angle 150°, arm length 120 cm)	
Max. drop angle		150°	90° (to height 140 cm) 150° (from height 141 cm)
Crank operation	yes, optional	yes, optional	yes, optional
Motor drive	yes, as standard	yes, as standard	yes, as standard

Technical details	Aruba Solar Vertical (Carré and Round)	Aruba Solar bent units (Carré and Round)
Dimension between axes	400 cm (1 array) 800 cm (2 arrays)	300 cm (1 array) 600 cm (2 arrays)
Unit height	260 cm	
Projection		260 cm
Crank operation	no	no
Motor drive	yes, as standard	yes, as standard

Technical details	valid for the entire Aruba series
WeiTronic* remote control	WeiTronic Combio-868 MA (with suitable WeiTronic hand-held control units)
Choice of materials	wide selection of fabrics from the current weinor collections
47 standard RAL colours	yes
Other RAL colours	yes, for an additional charge (10%)
8 trendy conservatory colours	yes, for an additional charge (5%)
Other structure colours	yes, for an additional charge (15%)



We offer the very highest quality

Weinor puts a lot of emphasis on quality, from the design and materials to workmanship, mounting and service, so you can enjoy your **Aruba** for a long time.

Proven top quality

Awning technology for the highest demands



Sophisticated technology for highest security

The wind lock safety device of the **Markisolette** prevents slipping of the arms upon wind from beneath. The lock safety device locks in place even with partly opened arms. The deviation point is adjustable



Made in Germany – certified top weinor quality

Quality is our first commandment. That is why most of our products are certified by the German TÜV. Weinor invests a lot in the development of new products. The result: innovative products made in Germany.



Longevity

We don't cut corners on the big or small parts: All our small parts such as screws, nuts and bolts are of stainless steel so they will last especially long. All other parts are powder coated in an elaborate process. This makes them impact and scratch resistant.



The best advice from your experts

The best way to get an idea of how your window or your patio roof will look with the **Aruba** is to get advice from an expert. Our competent dealers will be happy to advise you, giving you sound advice and assistance on all technical and aesthetic matters.

Rediscover your patio



▲ weinor awnings

▼ The Glasoase® from the weinor world of terraces



reddot design award
winner 2009



reddot design award
winner 2008

▲ weinor patio roofs
with VertiTEx awning


Your dream patio at any time of year



▲ weinor conservatories

No matter what you want to use your patio for, weinor has the right product for you – awning, patio roof, Glasoase® and conservatory

As an experienced specialist, your weinor dealer will help you throughout the process, from planning to completion. They will help make your patio dreams come true and will support you with advice and help. That way you stay on the safe side at all times.



Important Informations:

For textile sun protection: Creases can form in the fabric and when folding the awning cloth. That can lead to the areas of the fold appearing darker when seen against the light, particularly with light colours. Folds in the fabric in the areas of the seam, border and panels can be caused by multiple layers of fabric and different diameters of rolled up fabric. The stresses in the fabric caused by this can lead to rippling (e.g. waffle or fish-bone shapes). This is normal to differing degrees with nearly all awning fabrics. Creases and folds in the fabric do not reduce the awning's value or its suitability for its purpose. Awnings and conservatory blinds are for

protection from the sun and should be rolled up in rain and strong winds. Wet fabric creases more easily and as far as possible should only be retracted after drying out (please take care in strong winds and avoid the formation of puddles). Depending on the colour of the ordered frame we supply all small parts as well as crank handles and drives for units with crank mechanisms in black (similar to RAL 9005), white (similar to RAL 9016) or grey (similar to weinor 7319).

For patio roof, Glasoase®, conservatory: Let a qualified conservatory builder explain the causes of condensation and how it can be avoided at the planning stage.

www.weinor.com

Your dealer will be happy to advise you:

weinor
THE AWNING
... more than
sun protection

We reserve the right to make technical changes. For technical reasons the colours may appear slightly different in print.

x.xxx/07/09/110871-0000 ① Z