

Technology and aesthetics in perfect harmony

The N 2000, I 2000 and K 2000 cassette awnings score high on classic elegance – *something that never goes out of style* 



#### weinor cassette awning N 2000/I 2000/K 2000




# The perfect awning for any type of building

The casing on the N 2000, I 2000 and K 2000 cassette awnings with back wall section provide the ideal protection for the mechanism and fabric

Very few products can so impressively master the Ying and Yang of technology and aesthetics as the N 2000, I 2000 and K 2000 cassette awnings.

The I 2000 has been designed specifically for wall assembly, with the masonry providing the natural last touch. With its back wall section, the K 2000 is ideally suited for wall, ceiling and rafter mounting alike.











weinor acrylic fabrics, with their high quality workmanship and tear-resistance, are noted for their exceptionally long lives. Special finishing processes also make them particularly UV resistant. Use of the latest nanotechnology gives weinor's fabrics exceptional dirtand water-repellent properties.

Combine the wide range of frame colours with over 140 exquisite fabric patterns from weinor's "moments" fabric collection. You could, for example, use the same colour as the house façade for the awning and its fabric.



## weinor awnings with a big choice of colours

Choose from 47 standard frame colours, 8 scratch-resistant and robust trendy conservatory colours (5% surcharge) as well as another 200 special RAL colours for your awning.

#### weinor N 2000/I 2000/K 2000 accessories

#### Add colour accents

Use contrasting coloured end caps to create interesting effects. Choose from attractive colours – to blend in with your house or garden furniture.



#### **Especially suitable for niches**


The **N 2000** is ideally suited for niche situations, where brickwork replaces the roof, back wall and side parts.





# Cassette awnings with immense extension

The N 2000, I 2000 and K 2000 are especially suited for shading large patios



Choose the awning coupling for you: jockey cover for projections of up to 3.5 m, and the sliding support coupling for projections of up to 4 m.



Multi-section units provide pleasant shade on extra-large areas. Join your motor-driven awnings to a width of up to 12 m! Needless to say, your awnings can also be connected in series.

#### Comfort with the remote control

You can operate the WeiTronic Remoto remote control to adjust shade, heating and light from your favourite chair.

You can even adjust the light and heating.

# It's all in your hands: clever accessories for your comfort



## The Light Bar Lux creates a pleasant atmosphere

With the Light Bar Lux, you can always put yourself and your guests in the right light. The light bar is easy to fit to an outside wall. It can be operated by hand or remote control. You can use the light to create a pleasant atmosphere on your patio.

Perfect and simple fitting, even in a wide range of different locations with modern two-point mounting

#### N 2000



Niche installation

#### I 2000



Wall mounting



### The patio heating makes the season longer

The heating system **Tempura** makes the patio a very pleasant place to be, even in cooler weather. The radiated heat covers a relatively large area. The housing can be adjusted upwards and downwards as required.

long service life of 5,000 hours, you will find these quality Philips heating tubes very convincing. Replacing the tubes is quick and simple with the Philips Click-fit-System.

#### K 2000



Wall mounting



Ceiling mounting



#### Reacting to all weathers: WeiTronic weather sensors

The WeiTronic weather sensors are available as just a sun sensor, a sun and wind sensor, or a sun, wind and rain sensor. Depending on the version, they automatically open the awning in the sun and retract it in the wind and rain. That way, they provide protection and safety, even when you are not at home.



Rafter mounting

# Vertical protection from view using the Volant Plus valance

If the sun is low or prying looks make you feel uncomfortable, simply lower the Volant Plus valance as far as needed (up to 2 m projection).



Technical details
Max. width
Max. projection
Casing size (b x h)
Coupled units
Crank operation
Motor drive
WeiTronic* remote control
Volant Plus
Pitch angle adjustment
Choice of materials
47 standard RAL colours
Other RAL colours
8 trendy conservatory colours
Other structure colours
Faceplate for endcap
Types of mounting
Lighting*



N 2000	1 2000	K 2000			
700 cm	700 cm (1200 cm, 2-piece system)				
	400 cm	400 cm			
19.7 x 19.2 cm	19.8 x 21.1 cm	20.0 x 21.1 cm			
no	yes, optional	yes, optional			
yes, optional	yes, optional	yes, optional			
yes, as standard	yes, as standard	yes, as standard			
WeiTronic Combio-868 MA WeiTronic Combio-868 LD					

### WeiTronic Combio-868 MA, WeiTronic Combio-868 LD (with suitable WeiTronic hand-held control units)

(With Saltable Wellone Hand Held Control ands)						
no	yes*	yes*				
5° to 45°	5° to 45°	5° to 45°				
wide selection of fabrics from the current weinor collections						
yes	yes	yes				
yes, for an additional charge (10%)						
yes, for an additional charge (5%)						

yes, for all additional charge (5 70)

yes, for an additional charge (15%)

yes, for an additional charge

niche installation	wall mounting	wall, ceiling or rafter mounting
can be retrofitted	can be retrofitted	can be retrofitted



#### We are offer the very highest quality

weinor puts a lot of emphasis on quality, from the design and materials to workmanship, mounting and service, so you can enjoy your N 2000, the I 2000 and the K 2000 for a long time.

# Proven top quality

### Awning technology for the highest demands



# Patented technology for maximum safety

The patented folding arms with wind lock safety device hold the awning in place and prevents it from being lifted by surging winds. During retraction, the folding arms disappear completely into the casing. Arm stops prevent the arms from hitting the rail.



## Made in Germany – certified top weinor quality

Quality is our first commandment. That is why most of our products are certified by the German TÜV. weinor invests a lot in the development of new products. The result: innovative products made in Germany.

#### Longevity

We don't cut corners on the big or small parts:
All our small parts such as screws, nuts and bolts are of stainless steel so they will last especially long.
All other parts are powder coated in an elaborate process. This makes them impact and scratch resistant.



#### Non-wearing

hammering.

Even after being opened and closed many thousands of times the round steel linking chain in the centre joint of the awning shows no signs of wear. We guarantee it for 10 years.

Taking a
hammering
While cast parts
can shatter,
weinor's forged
materials can even withstand

.000/07/09/110855-0000 (3) Z



▲ weinor awnings

# Your dream patio

▼ The **Glasoase**® from the weinor world of terraces





▲ weinor patio roofs with **VertiTex** awning



No matter what you want to use your patio for, weinor has the right product for you – awning, patio roof, Glasoase® and conservatory

As an experienced specialist, your weinor dealer will help you throughout the process, from planning to completion. They will help make your patio dreams come true and will support you with advice and help. That way you stay on the safe side at all times.

#### ▲ weinor conservatories

	Description	Patent no
	Awning with infrared radiator and/or loudspeaker	000001403442
	Awning	000001310609
	Awning	000000874104
	Awning	000000745742
	Florentine blind with articulated arms	000000665346
	Tipping hinge for awnings	000000620334
	Coupling arrangement for the	
	rollers of awnings and similar	000000572820
	Shading device	000000959195

www.weinor.com

#### Important Informations:

For textile sun protection: Creases can form in the fabric and when folding the awning cloth. That can lead to the areas of the fold appearing darker when seen against the light, particularly with light colours. Folds in the fabric in the areas of the seam, border and panels can be caused by multiple layers of fabric and different diameters of rolled up fabric. The stresses in the fabric caused by this can lead to rippling (e.g. waffle or fishbone shapes). This is normal to differing degrees with nearly all awning fabrics. Creases and folds in the fabric do not reduce the awning's value or its suitability for its purpose. Awnings and conservatory blinds are for

at any time of year

protection from the sun and should be rolled up in rain and strong winds. Wet fabric creases more easily and as far as possible should only be retracted after drying out (please take care in strong winds and avoid the formation of puddles). Depending on the colour of the ordered frame we supply all small parts as well as crank handles and drives for units with crank mechanisms in black (similar to RAL 9005), white (similar to RAL 9016) or grey (similar to weinor 7319).

For patio roof, Glasoase®, conservatory: Let a qualified conservatory builder explain the causes of condensation and how it can be avoided at the planning stage.

Your dealer will be happy to advise you:

