## All-glass elements w17-c









# Easy-glide all glass sliding door

Single stack system | Split stack system





# Easy to operate – the super-convenient, user-friendly sliding door system



It doesn't get any easier than this: thanks to its premium-quality fittings, weinor's easy-glide all glass sliding door is a breeze to operate and also locks if required. The easy-glide all glass sliding door feels equally at home as a wind and weather protection feature for patios, balconies and pavilions, or even as a room divider. This all-glass system can be retroffitted to numerous types of roof and offers maximum transparency as there are no vertical frames. The result: light-flooded rooms and a smooth transition from the garden to the house.

3

# weinor easy-glide all glass sliding door highlights



# Product benefits in detail

Simplistic operation and use: the easy-glide all glass sliding door



#### Easy to open – convenient and user-friendly

The easy-glide all glass sliding door is outstandingly easy to operate.

- very user-friendly all-glass elements
- sliding the panels is a breeze
- exceptionally smooth operation
- foot-operated lock on the inside no need to bend over




#### Actuator function – all the panels can glide at the same time

The intelligent actuator function makes for very fast operation of the all-glass elements.

- slide multiple panels in one go
- close entire fronts with a flick of the wrist



Large open space when elements are opened



Actuator feature enables the entire front to be closed with a flick of the wrist



Locks from the inside or outside when closed (optional)



#### Retrofittable – for virtually every patio roof

Being a vertical structure, weinor's easy-glide all glass sliding door fits under virtually every patio roof as well as numerous roof structures.

- weinor's patio roof can be extended to create a Glasoase®
- no additional costs for structural safety adjustments
- matching profiles from weinor for easy retrofitting
- trouble-free cleaning due to easy access from the outside



#### Maximum transparency and premium weather protection

Fully unrestricted panoramic view:

- all-glass design with top and bottom guide profiles
- no vertical frames between the panels
- significant noise reduction
- single-pane safety glass in 6, 8 und 10 mm possible
- structural safety calculations performed by certified engineering firm



#### **Product benefits in detail**



#### Premium-quality fittings – easy-glide and durable

High-quality stainless steel fittings for easy gliding.

- locking device prevents damage caused by incorrect operation
- highy durable; sturdy, rust-free
- bottom rail made on V4A stainless steel
- stainless steel, ball-bearing guide rollers for long service life



# Attractively shaped operating handle – pleasant to the touch and easy to operate

The easy-glide all glass sliding doors are a breeze to operate with the high-quality stainless steel operating handles.

- aesthetic-looking, V2A stainless steel operating handles
- also available in exceptionally corrosion-resistant V4A stainless steel (especially suitable for e.g. coastal locations)



#### Seal profiles – well-sheltered against the wind and rain (optional)

Strong brush profiles seal off the gap between the glass panels and the side and upper guide profiles.

- these are combined with seal profiles under the glass leafs to make the system very wind-tight and resistant to driving rain
- transparent gap seals between the glass panels for added weather protection




# Lockcase with hung bolt – added safety through lock feature (optional)

Guard against unwelcome guests with a high-quality lockcase and hung bolt powder coated in the same colour as the frame.

- interior mechanism made of stainless steel A4
- low tolerances for smooth closing of the locking mechanism
- lockable from the inside
- double-sided locking option also available

# Easy-glide all glass sliding door versions



# Easy-glide all glass sliding door versions

standardoptionalunavailable

	Single stack system	Split stack system			
Technology					
Max. width of system	6,600 mm	10,000 mm			
Max. height of system	2,600 mm	2,600 mm			
Number of leafs	2 to 5	4 to 10			
Type of opening	parallel-sliding				
Standard lock	interior				
Glass type	single-pane safety glass in 6 mm, 8 mr	m, 10 mm			
Height compensation: standard	0 mm / – 25 mm				
V2A stainless steel operating handles	•	•			
Guide rail type	2 to 5 tracks, installation depth 50 mm to 110 mm, recessed or fitted				
Design					
47 standard colours	•	•			
Other RAL colours	0	0			
9 trend colours	•	•			
Other textured colours	0	0			
Accessories					
Brush profiles	0	0			
Wall attachment profile	0	0			
Additional standard lock on inactive leaf	0	0			
Lockcase and hung bolt (lockable from the inside)	0	0			
Lockcase and hung bolt (locks from either side)	0	0			
Heat-soak test	0	0			
V4A stainless steel operating handles	0	0			





## Easy-glide all glass sliding door colours



#### Wide range of frame colours – abundance of choices

weinor coats all of its products in its own workshop. This ensures that they have the best-possible colour tonality and identical gloss levels.

- 47 standard RAL frame colours, silk gloss (gloss level 70 ± 5% when measured at a 60° angle)
- 9 scratchproof, resistant trend colours with a textured look
- over 150 special RAL colours

#### 47 standard frame colours

., ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	a manne coro	4.5						
RAL 1002 Sandy yellow	RAL 1003 Signal yellow	RAL 1014 Ivory	RAL 1015 Light ivory	RAL 1023 Traffic yellow	RAL 1034 Pastel yellow	RAL 2000 Yellow orange	RAL 2002 Vermilion	RAL 2011 Deep orange
RAL 3002 Carmine red	RAL 3004 Magenta red	RAL 3007 Black red	RAL 4005 Blue lilac	RAL 4006 Traffic purple	RAL 5005 Signal blue	RAL 5009 Azure blue	RAL 5014 Pigeon blue	RAL 5021 Water blue
RAL 5022 Night blue	RAL 5024 Pastel blue	RAL 6005 Moss green	RAL 6009 Fir green	RAL 6011 Reseda green	RAL 6012 Black green	RAL 7015 Slate grey	RAL 7016 Anthracite grey	RAL 7021 Black grey
RAL 7030 Stone grey	RAL 7032 Pebble grey	RAL 7035 Light grey	RAL 7039 Quartz grey	RAL 7040 Window grey	weinor 7319 weinor grey	RAL 8001 Ochre brown	RAL 8003 Clay brown	RAL 8014 Sepia brown
RAL 8016 Mahagony brown	RAL 8017 Chocolate brown	RAL 8019 Grey brown	RAL 8022 Black brown	weinor 8077 weinor dark brown	RAL 9001 Cream	RAL 9005 Jet black	RAL 9006 White aluminium	RAL 9007 Grey aluminium
RAL 9010 Pure white	RAL 9016 Traffic white							


#### 9 trend colours

WT 29/10797	WT 29/50704	WT 29/70786	WT 29/71289	WT 29/80077	WT 29/80081	WT 29/90146	WT 29/90147
Approx. RAL 9010	Approx. RAL 6009 metallic	Sparkling iron effect	Approx. RAL 7016	Approx. DB 703 metallic	Iron glimmer effect P7	Approx. RAL 9006 metallic	Approx. RAL 9007 metallic


weinor is an eco-friendly company. To ensure compliance with high environmental standards, manufacturing processes and materials undergo regular testing by experts. As a result of the ban on the use of heavy metals in powder coatings, paint manufacturers can no longer guarantee colour stability despite making every effort to do so. It therefore cannot be excluded that colours in general, and Fire Red (RAL 3000) in particular, may fade with time. For technical reasons, the colours may appear significantly different when printed.


## Examples of designs for standard Glasoasen®

















---- Track without leafs Other designs possible

## Possible leaf arrangements in corners






Type 2




Type 3




Type 4

# Examples of custom designs







Exterior




Other designs and options on request, an extra charge will apply in most cases


# Vertical cross-sections









3-track




4-track 5-track




#### Horizontal cross-sections



With wall connection profile




No wall connection profile



Panel overlap with brush profile as optional extra


#### Horizontal cross-section of 90° corner unit

Example: 3-track




#### Cross-section of a 90° corner unit,


always has the same number of tracks, even when the number of leafs used is different








3-track




4-track




5-track

# **Cross-sections and dimensions**


#### Possible floor connection



# Vertical cross-section of ceiling and floor connection, operating handle




#### Provision for glazing element; possible installation behind a structure



#### Leaf size diagrams





Clip profile

50 x 10

#### Valid for:

- wind pressure, wind zone 1, inland mixed profile
- w17-c in standard area
- installation height up to 10 m


- minimum leaf width 450 mm
- maximum leaf weight 80 kg
- for overall size of units, see weinor Terrazza price list

# All-glass elements in summary



#### weinor all-glass doors

weinor all-glass doors offers reliable protection against winds as well as rain falling at an angle, while also providing maximum transparency. Depending on the preference and requirements, the panels either fold away or slide to one side. Every system is suitable for patio roofs, loggias or balconies in principle.



Multi-utility folding glass door



Versatile, all glass sliding revolving door



Easy-glide all glass sliding door

	w49-c	w26-c	w17-c
Recommendation	Patio roofs	Balconies	Patio roofs
Features	<ul> <li>opens at any section and all the way round</li> <li>slides flat or to an open position</li> <li>slides around corners (without swinging out)</li> <li>set of panels concertina to the left or right</li> <li>only one track required</li> <li>standing structure</li> </ul>	<ul> <li>opens all the way round</li> <li>slides around corners         (swings out)</li> <li>set of panels fold away to the         inside or outside</li> <li>only one track required</li> <li>hanging structure</li> <li>weinor EasyClean feature –         individual leafs easily         accessible for cleaning on the         inside or outside</li> </ul>	<ul> <li>open sideways</li> <li>actuator for easy closing</li> <li>requires several guide rails</li> <li>standing structure</li> </ul>
Max. width	11,200 mm	8,000 mm*	6,600 mm
Max. height	2,400 mm	2,400 mm*	2,600 mm

<sup>\*</sup> Larger dimensions available on request

Further information on our flexible all-glass elements can be found in the all-glass vertical element product brochures.



#### Fixed-glazed side elements

To go with the weinor Glasoase®, weinor offers a variety of fixed glazing elements — ranging from an entire side to a triangular-shaped element below the side patio roof support.

The table below indicates which fixed glazing element can be combined with which flexible element.



#### Side element SUPER LITE

- maximum transparency
- adds fixed glazing to the Glasoase® design
- very attractively priced
- all-glass fixed glazing under the side Terrazza roof support



#### Side element LITE

- highly transparent
- attractively priced
- fixed glazing below the Terrazza side patio roof support (trapezium), can be combined with flexible standing all-glass elements



#### Side element CLASSIC

- especially robust and stable
- load-bearing
- very good price-to-perfromance ratio
- fixed glazing below the Terrazza side patio roof support (trapezium with vertical staves), can be combined with flexible standing or hanging all-glass elements

### Ways to combine all-glass elements





		LITE side element	CLASSIC side element
***************************************	Multi-utility folding glass door w49-c	0	0
	Versatile, all glass sliding revolving door w26-c	_	0
	Easy-glide all glass sliding door w17-c	0	0

○ option — unavailable

**Awning** 



Awning with Valance Plus and Tempura



and Paravento



Premium quality Made in Germany

Textile awning with posts



PergoTex II and Tempura

Pergola awning Plaza Home



and Paravento



Pergola awning Plaza Pro with Paravento and VertiTex



Terrazza patio roof with Sottezza II sun protection



Glasoase® with conservatory awning and all-glass elements

Customised,

Patio roof and Glasoase®

systemised solutions



Patio roof with SUPER LITE fixed glazing

EP0959195 EP0942114

Last revised: 04/2016

The current issue can be found at www.weinor.de/fachpartner/service/downloadcenter



7/0416/116263-0000 2